

MMI Iveco Urby - EV

CITY BUS

TECHNICAL SPECIFICATION

**Zero emissions...
...Pure silence**



Category M3 bus, Class I,
MINI type.

Retains all the advantages
of the Urby family — excellent
manoeuvrability, passenger
comfort and practical solutions
— while offering
a forward-looking,
environmentally friendly
approach
to urban transport.

CITY BUS

TECHNICAL SPECIFICATION

Maximum passenger capacity

- 15 seated passengers and 20 standing passengers
- Up to 4 foldable seats in the low-floor area

Engine

- Electric EPM-110 CU 140 kW / 1250 Nm

Batteries

- 3 battery packs mounted in the chassis
- 111 kWh
- Charging – up to 115 kW DC, CCS

Range

- Approx. 220 km

Suspension

- Front axle: independent mechanical
- Rear axle: dependent pneumatic

Braking system

- Hydraulic, dual-circuit with disc brakes on all axles
- Energy recuperation system

Tyres

- 225/75 R16

Structure

- Corrosion-protected steel

Body panels

- Side and roof panels made of aluminium
- Front and rear caps made of composite materials

Air conditioning

- Separate system for the driver
- Separate system for the passenger compartment

Heating system

- Independent of engine operation – diesel-powered
- Heating convectors on both sides of the passenger area
- 30 L tank
- Additional rear forced-air heaters

Dimensions and weights

- Length: 7550–7700 mm
- Width: 2230 mm
- Height: 3040–3300 mm
- Wheelbase: 4350 mm
- Gross vehicle weight: 7200 kg



Optional Equipment and Warranty

- Radio with USB + two speakers in the driver's cab and four in the passenger compartment
- Heated front door window and driver-area side windows
- Manual front windscreen blinds
- LED interior lighting
- Warranty:
 - 24 months from date of purchase or 200,000 km (whichever comes first) for the electric drivetrain and body conversion
 - 96 months from date of purchase or 200,000 km (whichever comes first) for the batteries
- Closed-type driver's cab
- Manual wheelchair ramp
- Single-leaf front door, electrically operated
- Double-leaf rear door, electrically operated – 1050 mm
- Double-leaf rear door, electrically operated – 1200 mm
- Passenger information displays
- CCTV system

● standard equipment

○ optional equipment

MMI Iveco Urby - EV

CITY BUS



REFERENCE IMAGES



MMI Iveco Urby - EV

CITY BUS



REFERENCE IMAGES

